## Approved For Release 2002/10/30 : CIA-RDP67B00820R000400030060-3

DISPANCH NO. WACH/M-1225-60 PAGE 1 of 1 DATE:

TO

: Chief of Supply Depot

FROM

: Headquarters

6-RI/DPD

SUBJECT : Residual Inventory List

Completed Contract No. 04-5-00

25X1A

1. Enclosed are two copies of lists of residual inventory resulting from completion of work under Contract No. CM-5400 with Each list is made up of five (5) schedules. Disposition of the inventory has been made as follows:

> Transferred to Contract No. RE-518 as GFE. Schedule 1

Schedules 245 Transferred to Contract No. FR-8200 as GFS.

Schedules 384 Incorporated into fabricated parts listed in Schedule 1.

SIENED	
Contracting	Officer

25X1A

ENCLOSURES: Inv. SPO 71696 25X1A Ltr. DPD2357-60 (2 December 1960) DPD-DD Dispibution 25X1A 3-CB/DPD-OM-5400-T&P w/DPD-2357 w/incl 4- " " RE-518- " " PR-8200 "

## Residual Inventory SPO 71696 Fabricated Parts

QUANTITY	ITEM NO.	DESCRIPTION	LOCATION
1	TE-8	Scene Spectra Evaluator	Post.Road
1	TE-9	Oven Furnace (Windows)	Post Road
1	TE-10	V/H Sensor (Prototype)	Post Road
1	TE-11	Analogue Computer	Post Road
1	TE-12	Stabilization Platform	Post Road
1	TE-76	Film Drive Unit	Post Road
1	TE-77	Power Supply (Batteries) 12v	Post Road

Transferred from OM-5400 to RE-518

PR 6250

10 1bg		· C	12"	24"	<b>p⊷</b>	· •	<u>س</u> م	ы	4		<b></b>	<b>, ,</b> ,	<b></b>	<b>,</b>	<b>.</b>	N	2	ALILIVADÒ	
RA-1055	RR30395	•			30556	362741	362738-2	5HLLA12-5	60,055	40,067	30,262	2139	2137	2135	2201	1510	7125	PART NUMBER	The following were purchased un fabricated
Cement	.187 x 30"/ Hot Rolled 95#	ᇂ" × 24" Mill Edge Plate 60#	1" x 12" Mill Edge Plate 40#	1 1/4" x 12" Mill Edge Plate 102#	Seamless Mach. Tubing 16" O.D. x 1 7/32" Wall 18" Long	Cable Clamp for Above Jack	Jack for Chromel Alumel Type	Megopak Thermocouple Type K \$ 12" long with Quik-Konnect Plug	Plane Parallel Glass 6" x 7 11/16"	Front Surface Mirror 8" x 10"	Front Surface Mirror 5 3/4" x 7 1/2"	Ronchi Ruling 150 lines/mm	Ronchi Ruling 120 lines/mm	Ronchi Ruling 100 lines/mm	Ronchi Ruling 50 lines/mm	Alum. tubing - OD 4" ID 3.875-4 ft lengths	Redial Thrust Bearing	DESCRIPTION	wing itcms listed on pages lunder SPO 71696 and are incoderate reported as Residua
-co	٠٠٠	- <b>(</b> )-	·s>	<∞	ð.	÷	×		٠,	<>>	٠٠	45	·s	٠\$	٠٠	٠\$	s ·	Z.	<b>5</b>
.4425 lb	17.27 CWT	17.31 CWT	17.91 CWT	17.99 CWT	38.64 ft	.55	3.40	15.78	1.50 ea	5.50	4.00	2.00	2.00	2.00	2.00	2.25 ft	3.45 ea	AVIDE	9 In the
Furnace	Furnace	Furnace .	Furnace	Furnace	Furnace	Furnace E	Furnace	Furnace	Scene Spectra Evaluator	Scene Spectra Evaluator	Scene Spectra Evaluator	Scene Spectra Evaluator	Scene Spectra Evaluator	Scene Spectra Evaluator	Scene Spectra Evaluator	Scene Spectra Evaluator	Scene Spectra Evaluator	USED ON	Page 1 of 9

	0000140100	CIA-RDP67B00820R000400030060-3
Unnroved For Release	- フロロン/オロ/スロ・	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
Approved For Release	2002/10/00.	CIA-INDI 01 D0002010000400030000-3

36	* •	4	300	10	ю	<b>, .</b>	. <b>pu</b>	p.a	12	2	4	1 sheet	200	1	مسو	pus	مسو	QUARTITY
ри 4 мл	6957	50007-2A	gi.	2N652	B-10-M	Ĵ		•	BF-1704	301	6227-85			87260	87220	87210	19485	PART NUMBER
1.0 mfd 400 v DC Capacier	RCA Type 6957 Photocon- ductive Cell	Cores	Labels Alum.	Motorola Transistors	International Rectifier Photocells	Guardian-Ner-115 Stepping Relay	10-1/4" J.D. Therm Ashestos Pipe Covering x 3" thick x 3' long	4 x 8' x 1½" Thick Maranite Board #23 Type "A"	Acco Covers	Note Beads	Quad Rings	J-M Thermo-Flex Felt RF-600 (3/4" Thick x 42" x 96")	Michrome V - #20 Wire	Spectrum Tubes - Mercury	Spectrum Tubes - Neon	Spectrum Tubes - Argon	Alundum core mixture RA98	DESCRIPTION
\$ .73 ea	\$ 3.34 ea	\$ 10.02 Total	\$ 43.00 Total	\$ 2.64 ea	\$ 7.70 ea	\$ 12.18 ea	\$ 6.50 ft.	\$ .92 sq. ft.	\$ .61 ea	\$ .45 ca ·	\$ 15.40 Total	\$ 54.46 Total	\$ 5.00 Total	\$ 3.15	\$ 3,15	\$ 3.15	\$ 62.15	VALUE
Analogue Computer	Analogue Computer	V/H Sensor	Office Supplies	V/H Sensor	V/H Sensor	Furnace	Furnace	Furnace	Office Supplies	Office Supplies	Furnace		Furnace	Scene Spectra Evaluato	Scene Spectra Evaluato	Scene Spectra Evaluator	Furnace	USED ON
				Ар	proved	For Re	lease 200	2/10/30	: CIA	\-RDI	P67B	00820R00	0400	00300	)6 <b>0-</b> 3	н		

	•	_												
USED ON		Analogue Computer	Analogue Computer	General Photo Work	General Photo Work	Furnace	Furnace	V/H Sensor	V/H Sensor	V/H Sensor	V/H Sensor	V/H Sensor	Darkroom	Darkroom
AVLUE		\$ .07 ea	\$ .07 ea	\$ 2.96 box	\$ 3.95 ea	\$ .07 ft.	\$ .095 sq. ft.	\$ 2.75 ea	\$ 2.75 ea	\$ .20 ea	\$ 16.20 ea	\$ 4.35 ea	\$ 2.80 ea	\$ 2.80 ea
DESCRIPTION	Cornell Dubiller Type PM 4 M1	100,000 ohms 1 watt +10% reststors ohmite or Allen Bradley	39,000 r Resistors	Superpanchro press plates 4" x 5" size	Clairex CL-3 Photocells	Wire #28 B & S Gage CA 58-8 Glass Insulated DO 204903 (Chromel-Alumel Thermocouple pair).	16" wide x 8' Thermal Insulation (40 sq. ft.)	Pacific Semiconductor Varicap	Pacific Semiconductor Varicap	Elco Transistor Sockets	T-I Transistors	T-I Diode	5" square Wratten # 12 Filter	5" square Wratten #25A
PART NUMBER								V20	V56	3304	2N334	2059		
QUANTITY		36	36	3 boxes	e,	200,	4	7	4	10	4	4	m	ъ

\$ 4.62 box
Guardian-Mer-115-stepping relay
Bendix Transistors Mounting
Dippit for processing above
Rolls of Polaroid Transparent
11/16" IG. Feed Thru Connectors
Quartz Discs Approx. 1" diam sx 1/8" thick to be gold plated 50 angstroms thick on one side
GE Universal Motor 1/150 HP 4000 RPM
Kodak Acid Fixer, l gal. size

16	24	10	.5	6 ft.	6 ft.	<b>,</b>	12	ω	25	6	10	2	10	<b>,</b>	2	1 box	ALLLWOOD
	<i>/</i>		4														
		0631.4	023L4	GS59	G579	2C-B	2.5C		B8331	176	68P20	33102	2N1008A	T-9.44			PART NUMBER
						Ĵ											BER
Lampholder Sockets	Type T-5 6 watt Fluorescent Lamps size 8 1/4"	Varistors	Varistors	32 Pitch Steel Pinnion	32 Pitch Brass Rack	± 3% Humidity Element	Gould - National Nicad Battery	2" x 2" filters for mercury green line	11/16" long Feed-Thru Connectors	Kcystone Battery Holders	Sprague .5 mfd 100v DC Capacitor	Millen Crystal socket	Bendix Transistors	Tandom Screw terminals	#570 Transistor Dual Type XX	#10 Official white wave grade 424, Plain white envelopes	DESCRIPTION
\$ .36 ea	\$ 1.30 ea	\$ .55 ea	\$ .80 ea	\$ 2.41 ft.	\$ 2.42 ft.	\$ 12.50	\$ 2.40 ea	\$ 4.00 ea	\$ 40.50 hundred	\$ .38 ea	\$ .40 ев	\$36 ea	\$ 2.18 ea	\$ 3.30	\$ 1.98 ea	\$ 2.15 box	VALUE
Target Illuminator	Target Illuminator	V/H Stabilization .	V/H Stabilization A	Power Spectrum analyzer	Power Spectrum analyzers	Furnace or Re	V/H Sensor	2002/10/	Furnace	V/H Sensor	V/H Sensor P67B00	V/H Sensor 820F	V/H Sensor	Electronic Experiments	Electronic Experiments0	Office Supplies	USED ON

2	2	joga ve Light sk	<b>,</b>	4 rolls	-	N	1	1 box	1	ш	<b>,</b>	۳	4	6	μ	ALLEGUD
H-93	A i	A Company of the Comp	ST-500	1271	931-A	C <b>L</b> -3	LW 13 Ratio 200	,	T-60E	TM-40		5kH032711	7025	2N1010	C2327	PART NUMBER
James Knights 100 K.C.	2.50 Nicad Battery	AC-DC Commutator Motor 1/10 HP 8000 RPM	Robins Splicing Tape	Audio Tape 1200 ft. rolls	Photomultiplier GE	Clairex Photocells	Boston Reductor	4" x 5" High Resolution plates	Nortronics - bias oscillator	Spero Balance Meter	Tank to be Heli-arc welded	GE Motor 1/8 HP 148 RPM 115v 60 cycle single phase open frame Rt. angle shaft Fig. 1 mounting position foot mount	Vacuum Tubes	NPN Transistors (RCA)	Stancor-filter choke 1.5 Henries	DESCRIPTION
\$ 6.95 ea	\$ 2.40 ea	\$ 14.00	\$ .40	\$ 4.43 ев	\$ 10.45	\$ 3.50 ea	\$ 62.65	\$ 14.46 box	\$ 4.50	\$ 8.95	\$ 20.00	\$ 108.45	\$ 2.47 ea	\$ 2.81 ea	\$ 1.50	VALUE
	•	Appr	oved	l For	Rele	ase 2	2002/10	General Use : Ci	Scene spectrum analyzen	Scene Spectrum Analyze	Service	:0R00040003	Scene Spectrum Analyze6	Scene Spectrum Analyzek	V/H Stabilizatlon	USED ON

2 Pcs.	2 1M10Z10	3 Pc.	1 Pc.	1 Pc.	1 Pc.	16	2 NESSK	2 16:200-W1-CR	1 141.050	1 121.050	1 285L0 <b>5</b> 0	24 E2-7	18 AP-3	1 X542-1005	6 87320	6 16	Tank Norman
12" x 12" x 1" ±1/8" Polished Plate Glass	Motorola Zener Diode	Glass 1½" x 1½" x ½" thk ]	Glass 12" x 12" x 1" thk	Glass 8" dia x .45 thk	Quartz 8" dia x .878 thk to be coated	<pre>½" diam. neoprene 0' Ring Material</pre>	Flanged Ball Bearing	Bearing	3/8" Pitch Flange Sprocket }" Nole	3/8" Pitch Flange Sprocket 3/8 Hole	Belt ½" Wide	Flanged Ball Bearings	Bearing Mounting Plate	Vacuum Tube - Furnace	Concentrated Arc Lamp 2 watt	35 mm reels to fit nikor adjustable tank	
\$ 12.15 ea	\$ 4.80 ea		\$ 103.00 TOE	-		\$ 25.00 lot	\$ 3.09 ea	\$ 4.74 ea	\$ 7.25	\$ 5.65 ea	\$ 3.54 ea	\$ 3.90 ea	\$ 3.90 ea	\$ 160.00	\$ 9.00 ea	\$ 4.00 ea	4 / A / A / A / A / A / A / A / A / A /
Window Experiments	•		Service											Furnace			NO CERT ON

														•	
1 Ctn.	1 Gal	. 6		<b>,</b>		H	H	· <b> </b>	σ	6	4.	6 boxes	2 rolls	4 rolls	QUANTITY
	•		1871	16L075	321075	FCBB15			1203	1201	274-NK		665		PART NUMBER
Kodak Hypo Clearing Agent	Kodak Glacial Acetic Acid	Kodak sheet film & plate developing hangers, 4" x 5"	Belt 3/8 Pitch 50T. 3/4" wide	Pulley 3/2 P. 16T, 1.910 P. Dia. Type 6F ½" dia. hole	Pulley 3/8 P. 32T. 3.820 P. Dia. Type 6f, 3/4" Dia hole	Poston Coupling (one end $\frac{1}{2}$ ", other $\frac{3}{4}$ " hole dia)	Field Illumination Lamp	Scanning Lamp	Herman Smith Chassis Phono Jacks	llerman Smith RCA type Phono Plugs	Shielded Double Plugs (Star Plug Dog) General Radio	4" x 5" High resolution plate	Double Face "Scotch" Tape	Plus X Aerocon Film Thin Base 9½" x 100' Rolls 3 NIL Base	DESCRIPTION
\$ 1.25 Ctn.	\$ 2.70 Gal	\$ 1.25 ea	\$ 3.80	\$ 7.00	\$ 13.90	\$ 9.00	\$ 1.45	\$ 38.25	\$ .07 ea	\$ .05 ea	\$ 1.58 ea	es 15.58 box	\$ 1.97 roll	\$ 100.00 lot	VALUE
Darkroom Equipment	Darkroom Equipment	Darkroom Equipment A	Densitometer Drive Asse	Densitometer Drive Asse	Densitometer Drive Asses	Densitometer Drive Asset	Recording MicrophotomeRer	Recording MicrophotomeGer	RDP67E	300820F	R00040	General Photo Work ' 3	Miscellaneous Use 6	Experimental Work	USED ON
	Ctn. Kodak Hypo Clearing Agent \$ 1.25 Ctn. Darkroom	Gal Kodak Glacial Acetic Acid \$ 2.70 Gal Darkroom Ctn. Kodak Hypo Clearing Agent \$ 1.25 Ctn. Darkroom	Kodak sheet film & plate \$ 1.25 ea developing hangers, 4" x 5"  Gal Kodak Glacial Acetic Acid \$ 2.70 Gal  Kodak Hypo Clearing Agent \$ 1.25 Ctn.	Rodak sheet film & plate \$ 3.80  Kodak sheet film & plate \$ 1.25 ea developing hangers, 4" x 5"  Gal  Kodak Glacial Acetic Acid \$ 2.70 Gal  Kodak Hypo Clearing Agent \$ 1.25 Ctn.	Pulley 3/8 P. 16T, 1.910 P. \$ 7.00 Dia. Type 6F ½" dia. hole  187L  Belt 3/8 Pitch 50T. 3/4" wide \$ 3.80  Kodak sheet film & plate developing hangers, 4" x 5"  Gal  Kodak Glacial Acetic Acid \$ 2.70 Gal  Kodak Hypo Clearing Agent \$ 1.25 Ctn.	### Pulley 3/8 P. 32T. 3.820 P. \$ 13.90    Dia. Type 6F, 3/4" Dia hole	FCB315   Boston Coupling (one end ½", \$ 9.00 other 3/4" hole dia)	### FCBB15  #### FCBB15  ##################################	Scanning Lamp	#erman Smith Chassis Phono \$ .07 ea    Scanning Lamp	1201	Shielded Double Plugs (Star \$ 1.58 ea Plug Dog) General Radio  1201	6 boxes  4" x 5" High resolution plates 15.58 box  274-NK Shielded Double Plugs (Star \$ 1.58 ea Plug Dog) General Radio  1201 Herman Smith RCA type Phono \$ .05 ea Plugs  1203 Herman Smith Chassis Phono \$ .07 ea Jacks  Scanning Lamp \$ 38.25  Field Illumination Lamp \$ 1.45  FCBB15 Eoston Coupling (one end ½", \$ 9.00 other 3/4" hole dia)  321075 Pulley 3/8 P. 32T. 3.820 P. \$ 13.90  Dia. Type 6F ½" dia. hole  187L Pulley 3/8 P. 16T, 1.910 P. \$ 7.00  Dia. Type 6F ½" dia. hole  187L Belt 3/8 Pitch 50T. 3/4" wide \$ 3.80  Kodak sheet film & plate developing hangers, 4" x 5"  Gal Kodak Hypo Clearing Agent \$ 1.25 ea  Kodak Hypo Clearing Agent \$ 1.25 ctn.	2 rolls 655  Double Face "Scotch" Tape \$ 1.97 roll 6 boxes  4" x 5" High resolution plates   15.58 box   274-NK   Shielded Double Plugs (Star \$ 1.58 ea   1201   Herman Smith RCA type Phono \$ .05 ea   1203   Herman Smith Chassis Phono \$ .07 ea   1204   Scanning Lamp   \$ 38.25   Field Illumination Lamp   \$ 1.45   FOBBLS   Foston Coupling (one end ½", \$ 9.00 other 3/4" hole dia)  321075   Pulley 3/8 P. 32T. 3.820 P. \$ 13.90   Dia. Type 6F, 3/4" bia hole   161075   Pulley 3/8 P. 16T, 1.910 P. \$ 7.00   Dia. Type 6F, ½" dia. hole   1871   Belt 3/8 Pitch 50T. 3/4" wide \$ 3.80   Kodak Glacial Acetic Acid \$ 2.70 Gal   Kodak Hypo Clearing Agent \$ 1.25 cm.	4 rolls  5 losses  5 losses  5 losses  6 boxes  6 boxes  6 losses  1201  1201  1201  1201  1203  1203  1203  1203  1203  1203  1203  1204  1203  1203  1204  1203  1204  1205  1203  1203  1203  1203  1203  1203  1203  1203  1203  1204  1204  1205  1203  1203  1203  1203  1204  1204  1205  1203  1203  1203  1203  1203  1203  1204  1204  1205  1203  1203  1203  1203  1203  1203  1203  1203  1203  1204  1204  1204  1205  1206  1203  1203  1203  1203  1204  1204  1204  1205  1206  1203  1203  1203  1204  1204  1204  1205  1206  1203  1203  1204  1204  1204  1205  1206  1203  1203  1204  1204  1205  1206  1203  1203  1204  1204  1205  1206  1203  1203  1204  1204  1205  1206  1203  1203  1204  1204  1205  1206  1206  1207  1208  1208  1208  1209

8	o o	. 4	· •	i Gi	2 Pcs.	œ	12 Ft.	3 Fr.	3 FC.	2 xt.			1	1 Pc.	10	QUARTITY
CD 28	2N238	2N485	2N1193	2N1191		. 89 <b>G</b>						L16SE	542-1011			PARTS NUMBER
Burgess 12X Nicad Batter ) \$	T.I. Transistors \$	Raytheon Transistors \$	Motorola Transistors \$	Motorola Transistors \$	12" x 12" x 1" polished plate \$ glass	435 GE watt ballast for \$ flourescent lamp	Round Alum. Tubing 6061-T6 1" \$ 0.D. x .083 Wall	6061-T6 RD. Alum. Tube 1" 0.D.\$ x .065 Wall x .870 I.D.	6061-T6 Rd. Alum. Tube 3/4" \$ 0.D. x .065 Wall x .620 I.D.	Extruded standard alum. pipe \$ .258 wall 5.563 O.D. x 5.047 I. D.	Anionic Tergitol "08" \$	Gaertner Decker \$	Bracket Densitometer Drive \$	.030 Thk. Clear Lucite \$ 24" x 24"	Kodak D-11 Developer \$ ( one gal. size)	DESCRIPTION
10.65 ea	1.09 ea	1.74 ea	1.65 ea	1.43 ea	12.75 ea	1.00 ea	1.70 lb.	1.705 1b.	1.746 lb.	6.78 ft.	.62½ lb.	8,90	9.50	1,43 sq. ft.	. 75	VALUE
V/H Scnsor	V/H Sensor	V/H Sensor -	V/H Sensor	V/H Sensor A	Furnace	Target Illuminature Re	Microdensitometer Drive	Film Exp. Drive Unit 102/10/20	Film Exp. Drive Unit	Film Exp. Drive Unit 67B	Test Purposes	Microdensitometer CR	04000	Model Shop	General Photo Work	USED ON

	N	Н	þ	տ	<b>μ</b>	2	<b>J</b> ana	<b></b>	٢	4	۲	4	ъ	QUANTITY	•
	19080	73425			j			87302	87203	83	31-58-90	1471		PART NURBER	
	Support, iron, triped base #3	. Time Switch, Gralab Universal #1	Nikor Adjustable Cut Film Up to 4" x 5"	Leedal Film Pack Hanger 4" x 5" size	Kodak Combination Funnel	Columbian Forcelain Enamel Graduates 64-oz.	104 mm EFL Objector	Sodium Arc Bulb	Spectrum tube power supply	Palmgren rotary table with rotary feed	Variable focus achromatic condenser	Mounted objective lens Clear aperture 3%" focal lens 48"	Fused silica blanko 8" diam. x 3/4" thick	DESCRIPTION	•
**	\$ 6.50 ea	\$ 23.95 ea	\$ 19. ea	\$ 1.55 ea	\$ 2.15	\$ 2.25 ea	\$ 7.50 ea	\$ 21. ea	\$ 37.50	\$ 79.95 ea	\$139.	\$ 32. ea	\$260. ea	VALUE	
Inc	Miscellaneous	Miscellaneous Equipment	Darkroom Approv	Darkroom red For	Darkroom Rele	Darkroom	V/H Sensor	Scene spectra evaluat	Scene spectra evaluator (C)	Miccellangous P67B00	Scene spectra evaluat	Scene spectra evaluator	Window program ?	USED ON ()	

Page 1 of 4

Sch#3

<b>-</b>	<b>,</b>	6	6		µ	1-1	سر	щ	и	<b>.</b>	6	<b>U</b> I,	<b>,</b>	N	ALILHVOD
					897		30,293	70,174	19089	87300	88056	88056	12253	12139	PART NUCES
35 nm Praktina Reflex W/2" Lens 58nm F/.2	SEI Exposure Mater	4" x 5" Plate Holders	6 4" x 5" Cut Film Holders	Polaroid Cut Back for Above Camera	4" x 5" Speed Graphic Camera, Pacemaker Speed 162 mm. Oplak Lens F/4.5 with Focal Plane Shutter	Transistor Chassis Kit 22X	40 Power Accessory Objective	Low Power Microscope Coated Optics	Lab Jack	Sodium Arc Lamp	Clamp, C-Type #3, 6" Opening	Clamp, C-Type #1, 3" Opening	Clamp, Burette, Large #1	Clamp, condenser, double V-Jaw	DESCRIPTION
\$168.00	\$153.00	\$ 5.90 ea	\$ 4.00 ea	\$ 63.50	\$280.00	\$ 10.50 ea	\$ 4.75 ea	\$ 22.95 ea	\$ 37.50 ea	\$103.00 ea	\$ 3.25 ea	\$ .75 ea	\$ 1.40 ea	\$ 1.95 ea	VALUE
Photographic Work	Photographic Work	Miscellaneous Photograph	Barkroom Use	Photographic Equipments	Photographic Equipments Relation	Electronic Experiments	Above	V/H Sensor : Cl	Miscellaneous P	Photographic evaluation of equipment	Miscellaneous RO	Miscellaneous	Miscellaneous 60	Miscellaneous	USED ON

٣	<b>م</b> و	<b></b>	. وسو	<b>,</b>	<b>p</b>		2	<b>,</b>	<b>م</b> سو	6	۳	2	ш	<b>,_</b>	فسو	<b>, ,</b>	QUANTITY	
2034-8	750 <b>-S</b>	H-18360	11-18360	н-18360		542-0021	1756			•		70,161	TS4A-DLX	. 400	8		PART NUMBER	
Ric	Ohaus Triple Beam Balance with matric scale	1000 cc Graduate	100 cc Graduate	5 cc Graduate with 0.1 cc Increments	Stainless Steel Bucket with Carrying Handle	Off Axis Film Guide	Condensing Lens 6" diam , 18" F. L.	Fused Silica Blanks, 8" dlam x .9" thick	10 Power Microscopic Eye Piece	35 mm Cassettes (Loitz)	35 mm Daylight Film Loader - Watson	7" Aerial Camera Lens	Robins Tape Splicer	Viking Consolette	Viking Tape Deck	Collapsible Bellow for Praktina Reflex Camera	DESCRIPTION	
\$ 5.00	\$ 15.00	\$ 5.52	\$ 1.24	\$ 1.18 ea	\$ 15.60	\$567.00	\$ 6.70 ea	\$327.50	\$ 24.00	\$ 3.00 ea	\$ 7.00	\$ 39.95 ea	\$ 11.50 ea	\$ 14.00	\$143.00	\$ 47.60	VALUE	
Darkroom	Darkroom	Darkroom	Darkroom	Darkroom	Darkrocm For	Film Revind Stand R	Scene Spectra Analyzer e s	Window program 0/30	Darkroom use IA-	Darkroom use P	Darkroom use 7B0082	Scene Spectra Evaluat	Viking Tape Recorder 00	For above	V/H Sensor	Accessory	USED ON	/

p	<b>,</b>	سن	<b>3</b>	4	ALTICONÒ
L161D	31~11-78-01	31-10-27-01			PART NUMBER
Gaertner Adjustable Slit	Apochromatic Microscope Objective for use without cover glass and with 160mm Tube.	Microscope Objective E.F.L. 3 nm for use with 160 mm Tube and Cover Glass with working distance of 1.6 mm	Kodak Process Thermometer	8" x 10" x 1½" Stainless Steel Trays	DESCRIPTION
\$125.00	\$139.00	\$ 35.00	\$ 8.00	\$ 10.00 ea	VALUE
Microdensitometer	Microdensitometer	Microdensitometer	Darkroom	Darkroom	USED ON

Н	. , 60	w	. <b>⊢</b>	2	. 22	4	2	10	10	10	2	1 Ga1.	1	<b>%</b>	Н	QUARTITY	7.077
2199				HA-26	25CK86	25AF25		TE-1106	TE-1068	TE-1066	CD-7		31-15-05-013	81-61-01-024	V5D5600	PART NUCEER	The Following were purchased the fabricated parts
27.3mm diam x less thick flat glass	Plano-convex lens 59mm F.L. 22mm diam.	Plane-convex lens 81mm F.L. 21 mm diam.	Trial Kit Eastman 910 Adhesive	Sensors (Hygropak)	Switchcraft Cable Assemblies 72" Phono Plug to Alligator Clips	Switchcraft Cable Assemblies 36" Phono plug each end of shielded cable.	502-A Tubes - G.E.	Sprague Cap 300Mfd 6v	Sprague Cap 500Mfd 3v	Sprague Cap 300Mfd 3v	Burgess Nicad Batteries	Refractosil Bottles	Plano-convex lens (centered	Plano-convex Lenses (centered)	$\chi^{\prime\prime}$ orifice solenoid operated vacuum value 115v.	DESCRIPTION	ng items listed on pages in under SPO 71877 and are in reported as residual items
43	43	<>>	<b>•</b>	-¢>	40	-€>	⋄	٠	❖	÷s	❖	40	· •>>	÷s>	<b>*</b>	LVA	1 thru 3 included in ms under SP
*25	.50 ea	.45 ea	5.00	3.00 ea	.87 ea	.60 ea	1.87 ea	.90 са	.88 ea	.83 ea	3.50 ea	5.00 lb.	2.50	2.50 ea	10.50	ALUE	thru 3 cluded in under SPO 71696
•	•	•		Window Testing	V/H Sensor	V/H Sensor	. •	General Stock	General Stock	General Stock	Light Meter	Photography Work	Microdensitomete	Microdensitomete	Furnace	USED ON	Page 1 of 3

Approved For Release 2002/10/30: CIA-RDP67B00820R000400030060-3

5ch #4

	.04 ca	<b>4</b> 5	H. H. Smith Phono Pluge	1201	24
•	.08 еа	٠٠,	H. H. Smith double phono jack assembly	1214	10
•	3.00 per box,	-ده	Kodak super speed ortho portrait 4" x 4" 25 sheets per box		2
	5.50 per box	, <b>.</b>	Polaroid professional pan type no. 53 12 4" x 5" packets per box		<b>w</b>
Making Targets	9.00	٠,	Ronchi Ruling 85 lines/in.	#2169	<del></del>
Film Agitator	8.00 ea	- -{\frac{1}{2}}	Hurst Motor	RSM-10	<b>-</b>
Power Spectrum Analy	17.54 ea	·s>	Packets #53 Polaroid Film		tu
Scene Spectrum Analy	.50 ea	<∞	7" x 7" x 1/8" polished plate glass		10
Window Testing	7.35 ea	₩	Motorola Zener Diodes	1M2025	4
	75.70 Total	-⟨γ>	Nameplates as per print		500
	.31 ca	<∞	Flourescent lampholder sockets for type T-5 6 watt flourescent lamp	4330	6
	.87 ea	·co	435 GE Watt Ballast for flourescent lamp	890	4
Microdensitometer	2.00 ea	<>>	Amperite Delay Relay	115N02	2
Photo Work	1.90	৵	Polaroid ASA 3000 film 3%" x 4%" #47		12
	4.00	·c›	4 x 4 Ronchi Grating 85 line/inch	2165	, <b></b>
USED ON	JUE	VALUE	DESCRIPTION	PLAT HUGER	ALLEN700

23

	- PV can a number of the min		:		***
LITT	PART WORLDER	DESCRIPTION	ANTUE	CE	USED ON
<i>*</i>	1211	H. H. Smith Phono Jack	€0	.06 ea	
0	1214-1	H. H. Smith Inculating Washers	₹\$	.02 ca	
3 Gal		Kodek Dektol Developer	÷	.95 per gal	General Photo Work
2 Gal		Kodak D-76 Developer	·s>	.90 per gal	General Photo Work
6 Box		Polaroid film packets 4" x 5" Type 52 or 53 12 per box	0>	2.30 per box	General Photo Work
1 Pkg.		4" x 5" or larger contact paper (100 sheets/pkg.)	÷s	6.22 pkg.	General Photo Work
1 Roll		Kodak 35mm x 27½' panatomic x film	٠٠	2.65 roll	General Photo Work
2	RA2921-32	Chart paper-ink-2 Channel	\$	27.00 doz.	Brush Recorder
2	RA2761-02	Ink-red-2 oz. in. Mark II Reservoir	جن-	2.50 ea	Brush Recorder
2	RA2821-31	Pens-ink	€\$	9.00 ea	Brush Recorder
1 Gal	j	Refractosil	÷	5.00 lb.	Scene Spectrum And
2	931-A	Photomultipliers	<>>	9.35 ea	
<b>2</b>	2-N1010	RCA Transistors	٠	2.81 ea	
•	- H	Hurst Timing Motor	ç	8.00 ea	

as customer furnished	SPO 71877 and have been diverted to SPO 71945	The following items were purchased under
	71945	der

•			を を を を を を を を を を を を を を	2	H	<b>,</b>	щ	مسو	۳	2	<b>)</b>	<b>P</b>	1	<b></b>	<b>)</b>	Charles Again	
PR=238	1年-120	106			<b>)</b>		546-0009	6PC-110				**************************************		11508	23-13-125	PART MUNCER	SPO 71577
Lafayette Tape Head Eraser	Lafayette Bulk Tape.	Minerva Stop Watch	5 3/4" diam Rollers	3/4" diam Rollers	Filter Cabinet for 2" Square Glass Filter	Polaroid Back 4" x 5" for sheet film	Rectiliner Motion Stage	Gulton Mickel Cadmium 7.2 volt Battery & Crate 6 colls	26" Bellows	16" Bellows	Record Playback Head for Viking 85 Tape Deck (Installed)	Transformer for above	Pen-Ray Quartz Lamp	Gaertner Telescope	Sola 250 VA Constant Voltage Transformer	DESCRIPTION	And have been diverted to as customer furnished
\$ 3.95	\$ 18.95	\$ 21.00	\$ 25.00	\$ 10.00 ea	\$ 10.00	\$ 49.95	\$1285.00	\$172.80	\$ 12.00	\$ 15.00 Total	\$ 28.50	\$ 24.95	\$ 29.75	\$ 62.50	\$ 49.40	VALUE	under   SFO 71945
V/H Recorder	V/H Recorder	General use	Film Drive Unit	Film Drive Unit	Darkroom Use Re	General Photography	V/H Sensor	Power Supply for Hicrodensitometer	Scene Spectrum Anal:	Scene Spectrum Anal	V/H Sensor Recorder 20R0	Same use	Microdensitometer	Microdensitometer	Microdensitometer	NO GESON	